Functional Ecology 1994
8, 792–794

Author Index

Agustí S., Enríquez S., Frost-Christensen H., Sand-Jensen K. & Duarte C.M. Light harvesting among photosynthetic organisms, 273
Alexander I.J. *see* Baddeley J.A.
Antonovics J. *see* van Tienderen P.H.
Armsby C. *see* Hertz P.E.
Aronne G. & Wilcock C.C. Reproductive characteristics and breeding system of shrubs of the Mediterranean region, 69
Atkin O.K. & Cummins W.R. The effect of nitrogen source on growth rate, nitrogen economy and respiration of two high arctic plant species differing in relative growth rate, 389
Atkinson D. *see* Sibly R.M.
Ayres P.G. *see* Hatcher P.E.

Baddeley J.A., Woodin S.J. & Alexander I.J. Effects of increased nitrogen and phosphorus availability on the photosynthesis and nutrient relations of three arctic dwarf shrubs from Svalbard, 676
Bale J.S., Strathdee A.T. & Strathdee F.C. Effects of low temperature on the Arctic aphid *Acyrthosiphon brevicorne*, 621
Ballinger R.E. *see* Smith G.R.
Barclay R.M.R. *see* Harder L.D.
Barrett S.C.H., Harder L.D. & Cole W.W. Effects of flower number and position on self-fertilization in experimental populations of *Eichhornia paniculata* (Pontederiaceae), 526
Bates J.W. Responses of the mosses *Brachythecium rutabulum* and *Pseudoscleropodium purum* to a mineral nutrient pulse, 686
Baur A. Within- and between-clutch variation in egg size and nutrient content in the land snail *Arianta arbustorum*, 581
Benavides A.G., Cancino J.M. & Ojeda F.P. Ontogenetic changes in gut dimensions and macroalgal digestibility in the marine herbivorous fish, *Aplodactylus punctatus*, 46
Berryman C.A. *see* Duff G.A.
Block W. *see* Worland M.R.
Broekhuizen N., Gurney W.S.C., Jones A. & Bryant A.D. Modelling compensatory growth, 770
Brown R.P. & Pérez-Mellado V. Ecological energetics and food acquisition in dense Menorcan islet populations of the lizard *Podarcis lilfordi*, 427
Bryant A.D. *see* Broekhuizen N.
Büdel B. *see* Lange O.L.

Cáceres A. *see* Wulff R.D.
Cancino J.M. *see* Benavides A.G.
Casal J.J. *see* Deregibus V.A.
Cash K. *see* Neary J.
Cebrián J. & Duarte C.M. The dependence of herbivory on growth rate in natural plant communities, 518
Cole W.W. *see* Barrett S.C.H.
Collins J.P. *see* Loeb M.L.G.
Cook P.A. *see* Gage M.J.G.
Cotgreave P. & Harvey P.H. Phylogeny and the relationship between body size and abundance in bird communities, 219
Craig C.L. & Ebert K. Colour and pattern in predator–prey interactions: the bright body colours and patterns of a tropical orb-spinning spider attract flower-seeking prey, 616
Cummins W.R. *see* Atkin O.K.

Dafni A. Note on side advertisement in flowers, 136
Dale J. *see* Hill G.E.
Davidson D.W. *see* Folgarait P.J.
Davies R.W. *see* Qian Y.
Degen A.A. *see* Kam M.
Deregibus V.A., Casal J.J., Jacobo E.J., Gibson D., Kauffman M. & Rodriguez A.M. Evidence that heavy grazing may promote the germination of *Lolium multiflorum* seeds via phytochrome-mediated perception of high red/far-red ratios, 536
Dhillion S.S. *see* McGinley M.A.
Diemer M. *see* Körner Ch.
Dietz M.W. *see* Tinbergen J.M.
Dingle H. *see* Fox C.W.
Donovan L.A. & Ehleringer J.R. Water stress and use of summer precipitation in a Great Basin shrub community, 289
Duarte C.M. *see* Agustí S.; Cebrián J.
Dudley R. & Vermeij G.J. Energetic constraints of folivory: leaf fractionation by frugivorous bats, 668
Duff G.A., Berryman C.A. & Eamus D. Growth, biomass allocation and foliar nutrient contents of two *Eucalyptus* species of the wet–dry tropics of Australia grown under CO_2 enrichment, 502
Duff H.C. *see* Groom P.K.

Eamus D. *see* Duff G.A.
Ebert D. *see* Yampolsky L.Y.
Ebert K. *see* Craig C.L.
Edwards E. *see* Hendry G.A.F.
Ehleringer J.R. *see* Donovan L.A.; Marshall J.D.
Ellison G.T.H. *see* Speakman J.R.
Enríquez S. *see* Agustí S.

Farquhar G. *see* Marshall J.D.
Field C.B. *see* Goulden M.L.
Fleishman L.J. *see* Hertz P.E.
Flowers T.H. *see* Hills J.M.
Folgarait P.J., Johnson H.L. & Davidson D.W. Responses of *Cecropia* to experimental removal of Müllerian bodies, 22
Ford N.B. & Seigel R.A. An experimental study of the trade-offs between age and size at maturity: effects of energy availability, 91
Forseth T. & Jonsson B. The growth and food ration of piscivorous brown trout (*Salmo trutta*), 171
Fox C.W. & Dingle H. Dietary mediation of maternal age effects on offspring performance in a sand beetle (Coleoptera: Bruchidae), 600
Francisco M. *see* Medina E.
Frost-Christensen H. *see* Agustí S.
Futatsuya M. *see* Sawada S.

Gage M.J.G. & Cook P.A. Sperm size or numbers? Effects of nutritional stress upon eupyrene and apyrene sperm production strategies in the moth *Plodia interpunctella* (Lepidoptera: Pyralidae), 594
Gebhardt-Henrich S.G. & van Noordwijk A.J. The genetic ecology of nestling growth in the Great Tit. Environmental influences on the expression of genetic variances during growth, 469
Gibson D. *see* Deregibus V.A.
Gittleman J.L. *see* Marshall S.D.
Gleeson S.K. & Tilman D. Plant allocation, growth rate and successional status, 543
Goulden M.L. & Field C.B. Three methods for monitoring the gas exchange of individual tree canopies: ventilated-chamber, sap-flow and Penman–Monteith measurements on evergreen oaks, 125
Green A. *see* Thompson K.
Griffin K.L. Calorimetric estimates of construction cost and their use in ecological studies, 551
Griffiths H. *see* Maxwell C.
Grime J.P. *see* Hillier S.H.
Grimmond N.M., Preest M.R. & Pough F.H. Energetic cost of feeding on different kinds of prey for the lizard *Chalcides ocellatus*, 17
Groom P.K., Lamont B.B. & Duff H.C. Self-crypsis in *Hakea trifurcata* as an avian granivore deterrent, 110

Functional Ecology 1994
8, 792–794

Author Index

Agustí S., Enríquez S., Frost-Christensen H., Sand-Jensen K. & Duarte C.M. Light harvesting among photosynthetic organisms, 273
Alexander I.J. *see* Baddeley J.A.
Antonovics J. *see* van Tienderen P.H.
Armsby C. *see* Hertz P.E.
Aronne G. & Wilcock C.C. Reproductive characteristics and breeding system of shrubs of the Mediterranean region, 69
Atkin O.K. & Cummins W.R. The effect of nitrogen source on growth rate, nitrogen economy and respiration of two high arctic plant species differing in relative growth rate, 389
Atkinson D. *see* Sibly R.M.
Ayres P.G. *see* Hatcher P.E.

Baddeley J.A., Woodin S.J. & Alexander I.J. Effects of increased nitrogen and phosphorus availability on the photosynthesis and nutrient relations of three arctic dwarf shrubs from Svalbard, 676
Bale J.S., Strathdee A.T. & Strathdee F.C. Effects of low temperature on the Arctic aphid *Acyrthosiphon brevicorne*, 621
Ballinger R.E. *see* Smith G.R.
Barclay R.M.R. *see* Harder L.D.
Barrett S.C.H., Harder L.D. & Cole W.W. Effects of flower number and position on self-fertilization in experimental populations of *Eichhornia paniculata* (Pontederiaceae), 526
Bates J.W. Responses of the mosses *Brachythecium rutabulum* and *Pseudoscleropodium purum* to a mineral nutrient pulse, 686
Baur A. Within- and between-clutch variation in egg size and nutrient content in the land snail *Arianta arbustorum*, 581
Benavides A.G., Cancino J.M. & Ojeda F.P. Ontogenetic changes in gut dimensions and macroalgal digestibility in the marine herbivorous fish, *Aplodactylus punctatus*, 46
Berryman C.A. *see* Duff G.A.
Block W. *see* Worland M.R.
Broekhuizen N., Gurney W.S.C., Jones A. & Bryant A.D. Modelling compensatory growth, 770
Brown R.P. & Pérez-Mellado V. Ecological energetics and food acquisition in dense Menorcan islet populations of the lizard *Podarcis lilfordi*, 427
Bryant A.D. *see* Broekhuizen N.
Büdel B. *see* Lange O.L.

Cáceres A. *see* Wulff R.D.
Cancino J.M. *see* Benavides A.G.
Casal J.J. *see* Deregibus V.A.
Cash K. *see* Neary J.
Cebrián J. & Duarte C.M. The dependence of herbivory on growth rate in natural plant communities, 518
Cole W.W. *see* Barrett S.C.H.
Collins J.P. *see* Loeb M.L.G.
Cook P.A. *see* Gage M.J.G.
Cotgreave P. & Harvey P.H. Phylogeny and the relationship between body size and abundance in bird communities, 219
Craig C.L. & Ebert K. Colour and pattern in predator–prey interactions: the bright body colours and patterns of a tropical orb-spinning spider attract flower-seeking prey, 616
Cummins W.R. *see* Atkin O.K.

Dafni A. Note on side advertisement in flowers, 136
Dale J. *see* Hill G.E.
Davidson D.W. *see* Folgarait P.J.
Davies R.W. *see* Qian Y.
Degen A.A. *see* Kam M.
Deregibus V.A., Casal J.J., Jacobo E.J., Gibson D., Kauffman M. & Rodriguez A.M. Evidence that heavy grazing may promote the germination of *Lolium multiflorum* seeds via phytochrome-mediated perception of high red/far-red ratios, 536
Dhillion S.S. *see* McGinley M.A.
Diemer M. *see* Körner Ch.
Dietz M.W. *see* Tinbergen J.M.
Dingle H. *see* Fox C.W.
Donovan L.A. & Ehleringer J.R. Water stress and use of summer precipitation in a Great Basin shrub community, 289
Duarte C.M. *see* Agustí S.; Cebrián J.
Dudley R. & Vermeij G.J. Energetic constraints of folivory: leaf fractionation by frugivorous bats, 668
Duff G.A., Berryman C.A. & Eamus D. Growth, biomass allocation and foliar nutrient contents of two *Eucalyptus* species of the wet–dry tropics of Australia grown under CO_2 enrichment, 502
Duff H.C. *see* Groom P.K.

Eamus D. *see* Duff G.A.
Ebert D. *see* Yampolsky L.Y.
Ebert K. *see* Craig C.L.
Edwards E. *see* Hendry G.A.F.
Ehleringer J.R. *see* Donovan L.A.; Marshall J.D.
Ellison G.T.H. *see* Speakman J.R.
Enríquez S. *see* Agustí S.

Farquhar G. *see* Marshall J.D.
Field C.B. *see* Goulden M.L.
Fleishman L.J. *see* Hertz P.E.
Flowers T.H. *see* Hills J.M.
Folgarait P.J., Johnson H.L. & Davidson D.W. Responses of *Cecropia* to experimental removal of Müllerian bodies, 22
Ford N.B. & Seigel R.A. An experimental study of the trade-offs between age and size at maturity: effects of energy availability, 91
Forseth T. & Jonsson B. The growth and food ration of piscivorous brown trout (*Salmo trutta*), 171
Fox C.W. & Dingle H. Dietary mediation of maternal age effects on offspring performance in a sand beetle (Coleoptera: Bruchidae), 600
Francisco M. *see* Medina E.
Frost-Christensen H. *see* Agustí S.
Futatsuya M. *see* Sawada S.

Gage M.J.G. & Cook P.A. Sperm size or numbers? Effects of nutritional stress upon eupyrene and apyrene sperm production strategies in the moth *Plodia interpunctella* (Lepidoptera: Pyralidae), 594
Gebhardt-Henrich S.G. & van Noordwijk A.J. The genetic ecology of nestling growth in the Great Tit. Environmental influences on the expression of genetic variances during growth, 469
Gibson D. *see* Deregibus V.A.
Gittleman J.L. *see* Marshall S.D.
Gleeson S.K. & Tilman D. Plant allocation, growth rate and successional status, 543
Goulden M.L. & Field C.B. Three methods for monitoring the gas exchange of individual tree canopies: ventilated-chamber, sap-flow and Penman–Monteith measurements on evergreen oaks, 125
Green A. *see* Thompson K.
Griffin K.L. Calorimetric estimates of construction cost and their use in ecological studies, 551
Griffiths H. *see* Maxwell C.
Grime J.P. *see* Hillier S.H.
Grimmond N.M., Preest M.R. & Pough F.H. Energetic cost of feeding on different kinds of prey for the lizard *Chalcides ocellatus*, 17
Groom P.K., Lamont B.B. & Duff H.C. Self-crypsis in *Hakea trifurcata* as an avian granivore deterrent, 110

Grubb P.J. *see* Kohyama T.
Gurney W.S.C. *see* Broekhuizen N.

Haim A. *see* Speakman J.R.
Handley L.L., Odee D. & Scrimgeour C.M. $\delta^{15}N$ and $\delta^{13}C$ patterns in savanna vegetation: dependence on water availability and disturbance, 306
Harder L.D. & Barclay R.M.R. The functional significance of poricidal anthers and buzz pollination: controlled pollen removal from *Dodecatheon*, 509
see also Barrett S.C.H.
Harvey P.H. *see* Cotgreave P.
Hatcher P.E., Paul N.D., Ayres P.G. & Whittaker J.B. Interactions between *Rumex* spp., herbivores and a rust fungus: *Gastrophysa viridula* grazing reduces subsequent infection by *Uromyces rumicis*, 265
Haukioja E. *see* Honkanen T.; Senn J.
Hazama Y. *see* Sawada S.
Heber U. *see* Lange O.L.
Hendry G.A.F., Thompson K., Moss C.J., Edwards E. & Thorpe P.C. Seed persistence: a correlation between seed longevity in the soil and *ortho*-dihydroxyphenol concentration, 658
Hertz P.E., Fleishman L.J. & Armsby C. The influence of light intensity and temperature on microhabitat selection in two *Anolis* lizards, 720
Hill G.E., Montgomerie R., Inouye C.Y. & Dale J. Influence of dietary carotenoids on plasma and plumage colour in the house finch: intra- and intersexual variation, 343
Hillier S.H., Sutton F. & Grime J.P. A new technique for the experimental manipulation of temperature in plant communities, 755
Hills J.M., Murphy K.J., Pulford I.D. & Flowers T.H. A method for classifying European riverine wetland ecosystems using functional vegetation groups, 242
Honkanen T., Haukioja E. & Suomela J. Effects of simulated defoliation and debudding on needle and shoot growth in Scots pine (*Pinus sylvestris*): implications of plant source/sink relationships for plant–herbivore studies, 631
Hook P.B. & Lauenroth W.K. Root system response of a perennial bunchgrass to neighbourhood-scale soil water heterogeneity, 738
Hovi M. *see* Siikamäki P.
Hughes L., Westoby M. & Jurado E. Convergence of elaiosomes and insect prey: evidence from ant foraging behaviour and fatty acid composition, 358
Huisman J. The models of Berendse and Tilman: two different perspectives on plant competition? 282

Ingalls K.A. *see* Kunz T.H.
Inouye C.Y. *see* Hill G.E.

Jacobo E.J. *see* Deregibus V.A.
Jacobs M.D. & Watt W.B. Seasonal adaptation *vs* physiological constraint: photoperiod, thermoregulation and flight in *Colias* butterflies, 366
Jeffree C.E. *see* Jeffree E.P.
Jeffree E.P. & Jeffree C.E. Temperature and the biogeographical distributions of species, 640
Jewels A.M. *see* Thompson K.
Joern A. *see* Yang Y.
Johnson C.N. Mycophagy and spore dispersal by a rat-kangaroo: consumption of ectomycorrhizal taxa in relation to their abundance, 464
Johnson H.L. *see* Folgarait P.J.
Jones A. *see* Broekhuizen N.
Jones G. Scaling of wingbeat and echolocation pulse emission rates in bats: why are aerial insectivorous bats so small? 450
Jonsson B. *see* Forseth T.
Jurado E. *see* Hughes L.

Kam M. & Degen A.A. Body mass at birth and growth rate of fat sand rat (*Psammomys obesus*) pups: effect of litter size and water content of *Atriplex halimus* consumed by pregnant and lactating females, 351
Karlsson P.S. Photosynthetic capacity and photosynthetic nutrient-use efficiency of *Rhododendron lapponicum* leaves as related to leaf nutrient status, leaf age and branch reproductive status, 694
Kauffman M. *see* Deregibus V.A.
Kohyama T. & Grubb P.J. Below- and above-ground allometries of shade-tolerant seedlings in a Japanese warm–temperate rain forest, 229
Koide R.T. & Schreiner R.P. Alteration of leaf movement of *Abutilon theophrasti* (Malvaceae) by mycorrhizal infection, 384
see also Sanders I.R.
Körner Ch. & Diemer M. Evidence that plants from high altitudes retain their greater photosynthetic efficiency under elevated CO_2, 58
Krebs R.A. & Loeschcke V. Costs and benefits of activation of the heat-shock response in *Drosophila melanogaster*, 730
Kunz T.H. & Ingalls K.A. Folivory in bats: an adaptation derived from frugivory, 665

Lamont B.B. *see* Groom P.K.
Lange O.L., Meyer A. & Büdel B. Net photosynthesis activation of a desiccated cyanobacterium without liquid water in high air humidity alone. Experiments with *Microcoleus sociatus* isolated from a desert soil crust, 52
Lange O.L., Meyer A., Zelliner H. & Heber U. Photosynthesis and water relations of lichen soil crusts: field measurements in the coastal fog zone of the Namib Desert, 253
Lauenroth W.K. *see* Hook P.B.
Leishman M.R. & Westoby M. The role of large seed size in shaded conditions: experimental evidence, 205
Lindell L.E. The evolution of vertebral number and body size in snakes, 708
Lloyd J. & Taylor J.A. On the temperate dependence of soil respiration, 315
Loeb M.L.G., Collins J.P. & Maret T.J. The role of prey in controlling expression of a trophic polymorphism in *Ambystoma tigrinum nebulosum*, 151
Loeschcke V. *see* Krebs R.A.
Lüning J. *see* Stibor H.
Lüttge U. *see* Medina E.

McCauley E. *see* Neary J.
McGinley M.A., Dhillion S.S. & Neumann J.C. Environmental heterogeneity and seedling establishment: ant–plant–microbe interactions, 607
Macnair M.R. *see* Mossop R.
Maret T.J. *see* Loeb M.L.G.
Marshall J.D., Ehleringer J.R., Schulze E.-D. & Farquhar G. Carbon isotope composition, gas exchange and heterotrophy in Australian mistletoes, 237
Marshall S.D. & Gittleman J.L. Clutch size in spiders: is more better? 118
Maxwell C., Griffiths H. & Young A.J. Photosynthetic acclimation to light regime and water stress by the C_3-CAM epiphyte *Guzmania monostachia*: gas-exchange characteristics, photochemical efficiency and the xanthophyll cycle, 746
Medina E., Ziegler H., Lüttge U., Trimborn P. & Francisco M. Light conditions during growth as revealed by $\delta^{13}C$ values of leaves of primitive cultivars of *Ananas comosus*, an obligate CAM species, 298
Meyer A. *see* Lange O.L.
Mole S. & Zera A.J. Differential resource consumption obviates a potential flight–fecundity trade-off in the sand cricket (*Gryllus firmus*), 573
Montgomerie R. *see* Hill G.E.
Moss C.J. *see* Hendry G.A.F.
Mossop R., Macnair M.R. & Robertson A.W. Within-population variation in sexual resource allocation in *Mimulus guttatus*, 410
Murphy K.J. *see* Hills J.M.

Nadkarni N.M. & Parker G. Creation of the Canopy Research Network, 280
Naidoo G. & von Willert D.J. Stomatal oscillations in the mangrove *Avicennia germinans*, 651
Nakajima Y. *see* Sawada S.
Neary J., Cash K. & McCauley E. Behavioural aggregation of *Daphnia pulex* in response to food gradients, 377
Neumann J.C. *see* McGinley M.A.
Newman J. *see* Parsons A.J.; Thornley J.H.M.
Nietfeldt J.W. *see* Smith G.R.
van Noordwijk A.J. *see* Gebhardt-Henrich S.G.

Odee D. *see* Handley L.L.
Ojeda F.P. *see* Benavides A.G.
Opell B.D. Increased stickiness of prey capture threads accompanying web reduction in the spider family Uloboridae, 85
Opell B.D. The ability of spider cribellar prey capture thread to hold insects with different surface features, 145

Parker G. *see* Nadkarni N.M.
Parsons A.J., Thornley J.H.M., Newman J. & Penning P.D. A mechanistic model of some physical determinants of intake rate and diet selection in a two-species temperate grassland sward, 187
see also Thornley J.H.M.
Paul N.D. *see* Hatcher P.E.
Penning P.D. *see* Parsons A.J.; Thornley J.H.M.
Pérez-Mellado V. *see* Brown R.P.
Perrin N. & Travis J. Reply to TALMUD, 140
see also Tripet F.
Polcyn D.M. Thermoregulation during summer activity in Mojave Desert dragonflies (Odonata: Anisoptera), 441
Pough F.H. *see* Grimmond N.M.
Preest M.R. *see* Grimmond N.M.
Pulford I.D. *see* Hills J.M.

Qian Y. & Davies R.W. Differences in bioenergetic and life-history traits between two generations of *Nephelopsis obscura* due to the prehistory of their parents, 102

Racey P.A. *see* Speakman J.R.
Rätti O. *see* Siikamäki P.
Raubenheimer D. & Simpson S.J. The analysis of nutrient budgets, 783
Ricklefs R.E. & Schew W.A. Foraging stochasticity and lipid accumulation by nestling petrels, 159
Robertson A.W. *see* Mossop R.
Rodriguez A.M. *see* Deregibus V.A.
Rombough P.J. Energy partitioning during fish development: additive or compensatory allocation of energy to support growth? 178

Sand-Jensen K. *see* Agustí S.
Sanders I.R. & Koide R.T. Nutrient acquisition and community structure in co-occurring mycotrophic and non-mycotrophic old-field annuals, 77
Sandoval C.P. Plasticity in web design in the spider *Parawixia bistriata*: a response to variable prey type, 701
Sasaki K. *see* Sawada S.
Sawada S., Nakajima Y., Tsukuda M., Sasaki K., Hazama Y., Futatsuya M. & Watanabe A. Ecotypic differentiation of dry matter production processes in relation to survivorship and reproductive potential in *Plantago asiatica* populations along climatic gradients, 400
Schew W.A. *see* Ricklefs R.E.
Schmitt J. *see* Wulff R.D.
Schreiner R.P. *see* Koide R.T.
Schulze E.-D. *see* Marshall J.D.
Scrimgeour C.M. *see* Handley L.L.
Seigel R.A. *see* Ford N.B.
Senn J. & Haukioja E. Reactions of the mountain birch to bud removal: effects of severity and timing, and implications for herbivores, 494
Sibly R.M. & Atkinson D. How rearing temperature affects optimal adult size in ectotherms, 486
Siikamäki P., Hovi M. & Rätti O. A trade-off between current reproduction and moult in the Pied Flycatcher—an experiment, 587
Simpson S.J. *see* Raubenheimer D.
Skinner J.D. *see* Speakman J.R.
Smith G.R., Ballinger R.E. & Nietfeldt J.W. Elevational variation of growth rates in neonate *Sceloporous jarrovi*: an experimental evaluation, 215
Speakman J.R., Racey P.A., Haim A., Webb P.I., Ellison G.T.H. & Skinner J.D. Inter- and intraindividual variation in daily energy expenditure of the pouched mouse (*Saccostomus campestris*), 336
Stibor H. & Lüning J. Predator-induced phenotypic variation in the pattern of growth and reproduction in *Daphnia hyalina* (Crustacea: Cladocea), 97
Stone G.N. Patterns of evolution of warm-up rates and body temperatures in flight in solitary bees of the genus *Anthophora*, 324
Strathdee A.T. *see* Bale J.S.
Strathdee F.C. *see* Bale J.S.
Suomela J. *see* Honkanen T.
Sutton F. *see* Hillier S.H.

Taylor J.A. *see* Lloyd J.
Thompson K., Green A. & Jewels A.M. Seeds in soil and worm casts from a neutral grassland, 29
see also Hendry G.A.F.
Thornley J.H.M., Parsons A.J., Newman J. & Penning P.D. A cost–benefit model of grazing intake and diet selection in a two-species temperate grassland sward, 5
see also Parsons A.J.
Thorpe P.C. *see* Hendry G.A.F.
van Tienderen P.H. & Antonovics J. Constraints in evolution: on the baby and the bath water, 139
Tilman D. *see* Gleeson S.K.
Tinbergen J.M. & Dietz M.W. Parental energy expenditure during brood rearing in the Great Tit (*Parus major*) in relation to body mass, temperature, food availability and clutch size, 563
Travis J. *see* Perrin N.
Trimborn P. *see* Medina E.
Tripet F. & Perrin N. Size-dependent predation by *Dugesia lugubris* (Turbellaria) on *Physa acuta* (Gastropoda): experiments and model, 458
Tsukuda M. *see* Sawada S.
Turner I.M. Sclerophylly: primarily protective? 669

Vermeij G.J. *see* Dudley R.

Watanabe A. *see* Sawada S.
Watt W.B. *see* Jacobs M.D.
Webb P.I. *see* Speakman J.R.
Westoby M. *see* Hughes L.; Leishman M.R.
Whittaker J.B. Physiological responses of leaves of *Rumex obtusifolius* to damage by a leaf miner, 627
see also Hatcher P.E.
Wilcock C.C. *see* Aronne G.
von Willert D.J. *see* Naidoo G.
With K.A. Ontogenetic shifts in how grasshoppers interact with landscape structure: an analysis of movement patterns, 477
Woodin S.J. *see* Baddeley J.A.
Worland M.R. & Block W. An automatic respirometer for use with small invertebrates, 419
Wulff R.D., Cáceres A. & Schmitt J. Seed and seedling responses to maternal and offspring environments in *Plantago lanceolata*, 763

Yampolsky L.Y. & Ebert D. Variation and plasticity of biomass allocation in *Daphnia*, 435
Yang Y. & Joern A. Gut size changes in relation to variable food quality and body size in grasshoppers, 36
Young A.J. *see* Maxwell C.

Zelliner H. *see* Lange O.L.
Zera A.J. *see* Mole S.
Ziegler H. *see* Medina E.